



SWAN


AIR COMPRESSOR

New Technology with Oil Pump Lubrication and Protection

HEAVY DUTY PREMIUM AIR COMPRESSOR




ENFORCED LUBRICATING AIR COMPRESSORS



SPECIFICATIONS

MODEL	SVU-205 N	SWU-307 N	SWU-310 N	SWU-415 N	HVU-205 N	HWU-307 N	HWU-310 N	HWU-415 N
Motor (HP)	5	7.5	10	15	5	7.5	10	15
B x S x No. of Cyl (mm)	95x85x2	82x85x3	95x85x3	95x85x4	L : 95x85x1 H : 50.8x85x1	L : 82x85x2 H : 65x85x1	L : 95x85x2 H : 77x85x1	L : 95x85x3 H : 95x85x1
Working Pressure	7	7	7	7	16	16	16	12
F.A.D (l/min)	619	872	1151	1480	406	606	786	1120
Tank Capacity (liter)	155	240	300	300	237	237	237	300
L x W x H (mm)	1400x520x980	1450x650x1150	1750x650x1200	1750x650x1200	1470x650x1150	1470x650x1150	1470x650x1150	1750x650x1200
Weight (Kg)	168	230	250	275	225	260	262	350



Precise oil pressure switch

Lubricated filtering system

Patent water draining from air tank

Enforced lubricated bare compressor

24 HOURS CONTINUOUS RUNNING

The series of products are able to execute **24 hours** continuous running with start / stop frequently, and heavy loading.

LONG SERVICE LIFE

Excellent cooling air circulation system will guarantee long-lasting operation of air compressors. The unique structure design of Swan bare compressors with enlarged fan and good heat dissipation material enable to achieve the goal.